

# Xerox® C310 Color Printer and Xerox® C315 Color Multifunction Printer



Work doesn't slow down, and  
your printer shouldn't either.



C310 Color Printer

C315 Color  
Multifunction Printer

| SYSTEM SPECIFICATION  | XEROX C310 COLOR PRINTER   | XEROX C315 COLOR MULTIFUNCTION PRINTER          |
|---|--|---|
| <b>PRINT SPEED (UP TO:)</b>   |  |   |
| <b>One-sided Speed<sup>1</sup> – Color</b><br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm)   | 35 ppm<br>33 ppm   |   |
| <b>Two-sided Speed<sup>1</sup> – Color</b><br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm)   | 17 ppm<br>16 ppm   |   |
| <b>One-sided Speed<sup>1</sup> – B&amp;W</b><br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm) | 35 ppm<br>33 ppm   |   |
| <b>Two-sided Speed<sup>1</sup> – B&amp;W</b><br>Letter (8.5 x 11 in)<br>A4 (210 x 297 mm) | 17 ppm<br>16 ppm   |   |
| <b>Monthly Duty Cycle<sup>2</sup> (Up To:)</b><br>Pages Per Month                         | 80,000   |   |
| <b>Recommended Average Monthly Print Volume (Up To:)</b><br>Pages Per Month               | 6,000  |   |
| <b>Processor/Memory</b><br>Clock Speed/Cores<br>Memory                                    | 1 GHz Dual Core Processor with GPU<br>1GB RAM  | 1.2 GHz Quad Core Processor with GPU<br>2GB RAM |
| <b>Connectivity</b><br>Device Connectivity  | Hi-Speed USB 2.0 (Type A- thumbdrive), Gigabit Ethernet, HI-Speed USB 2.0 (USB) (Type B), Wireless 802.11 b/g/n  |   |
| <b>Imaging Technology</b>   | Color Laser  |   |
| <b>PRINT AND COPY</b>   |  |   |
| <b>Print Resolution (Up To:)</b>  | 1200 x 1200 dpi, 4800 Color Quality  |   |
| <b>Copy Resolution (Up To:)</b>   | N/A  | 600 x 600 dpi                                   |
| <b>First-print-out Time (As Fast As:)</b>   | 7.2 seconds color/6.7 seconds B&W  | 8.0 seconds color/7.9 seconds B&W               |
| <b>First-copy-out Time (As Fast As:)</b>  | N/A  | 9.1 seconds color/8.2 seconds B&W               |
| <b>Page Description Languages</b>   | PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image  |   |
| <b>Print Features<sup>3</sup></b>   | One Touch UI, Print Quality, Normal, Secure, Saved and Sample Set Job Types, Duplex, Orientation, Collation, Print Job ID in Margins, Draft Mode, N-up, Booklet Layout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings |   |

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                              | XEROX C310 COLOR PRINTER   | XEROX C315 COLOR MULTIFUNCTION PRINTER  |
|---|--|---|
| <b>MOBILE AND CLOUD READY</b>                     |  |   |
| Mobile Printing                                   | Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct®  |   |
| Mobile Scanning                                   | Apple AirPrint, Mopria Scan Service  |   |
| Xerox® Workplace Suite and Xerox® Workplace Cloud | Yes  |   |
| Cloud Connectivity                                | Yes (via Xerox Print and Scan Experience)  |   |
| <b>SCAN</b>                                       |  |   |
| Destinations                                      | N/A  | Email, Front-side USB drive, FTP, Network or USB Connected Computer, Windows Network Folder   |
| File Formats                                      | N/A  | TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS   |
| <b>FAX</b>  |  |   |
| Standard Features                                 | N/A  | MH/MR/MMR/JBIG/JBIG2/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes: Fax, Email, FTP, Network Folder, Called Number  |
| <b>PRINT DETAILS</b>                              |  |   |
| First-print-out Time – Color (As Fast As:)        | 7.2 seconds  | 8.0 seconds   |
| First-print-out Time – B&W (As Fast As:)          | 6.7 seconds  | 7.9 seconds   |
| Resolution (Up To:)                               | 1200 x 1200 dpi, 4800 Color Quality  |   |
| Page Description Languages                        | PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image  |   |
| Unprintable Page Margin                           | Print: 4.2 mm from each edge   | Print: 4.2 mm from each edge; Copy: 3 mm from each edge   |
| Print from USB                                    | N/A  | File Formats: Microsoft Office Formats (Word, Excel, PPT), PDF, HTML, XPS, Image Formats (JPEG, TIFF, GIF, BMP, PNG, PCX)<br>Options available to configure prints from USB: paper source, print blank pages, collate, two-sided printing, paper saver orientation, separator sheets, paper saver, paper saver ordering   |
| Print Driver Types/Operating Systems              | Windows® 8, 8.1 Update 1, 10, 11, Windows Server® 2008 SP2 (32- and 64-bit), Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019, macOS 10.14, 10.15, 11, 12. For more information about supported Operating Systems, please visit our Drivers & Downloads page and specify your device at <a href="http://support.xerox.com">support.xerox.com</a> |   |
| Network Protocols                                 | TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP   |   |
| Font Capability                                   | PCL6 89 scalable fonts, 2 bitmapped<br>PS emulation 158 scalable fonts   |   |
| <b>COPY DETAILS</b>                               |  |   |
| First-copy-out Time – Color (As Fast As:)         | N/A  | 9.1 seconds   |
| First-copy-out Time – B&W (As Fast As:)           | N/A  | 8.2 seconds   |
| Simplex Speed (Up To:)                            | N/A  | 35 Letter ppm/33 A4 ppm   |
| Duplex Speed (Up To:)                             | N/A  | 17 Letter ppm/16 A4 ppm   |
| Sides (Input:Output)                              | N/A  | 1:1, 1:2, 2:1, 2:2  |
| Quantity  | N/A  | 1-9,999   |
| Concurrency                                       | N/A  | Yes (copy while printing)   |
| Copy Features                                     | N/A  | Copy From Size; Copy To Size; Scale 25% to 400%; Darkness/Lightness; Sides 1:1, 1:2, 2:1, 2:2; Duplex; Collate; Sample Copy; <b>Content Type</b> – Text, Text/Photo, Photo, Graphics; <b>Content Source</b> – B&W Laser, Color Laser, Inkjet, Photo/Film, Magazine, Newspaper, Press, Other; Create Shortcut; Color<br><br><b>Advanced Options</b><br>Paper Setup; Advanced Imaging, Auto Center, Background Removal, Contrast, Mirror Image, Negative Image, Scan Edge to Edge, Shadow Detail, Sharpness, Color Balance, Color Dropout; Create Booklet; Cover Page Setup; Custom Job Build; Edge Erase; Header/Footer; Margin Shift; Overlay; <b>Pages per Side</b> – 2 pages per side, 4 pages per side;<br><b>Separator Sheets</b> – Between Pages, Between Copies, Between Jobs |

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                  | XEROX C310 COLOR PRINTER   | XEROX C315 COLOR MULTIFUNCTION PRINTER   |
|---------------------------------------|--|--|
| <b>SCAN DETAILS</b>                   |  |  |
| Technology                            | N/A  | Color Flatbed Scanner with RADF, Contact Image Sensor (CIS)  |
| Capability                            | N/A  | RADF, up to 50 sheets of 20 lb bond/75 gsm, Color/B&W  |
| Concurrency                           | N/A  | Yes (scan while printing)  |
| Input Speed – Color (Up To:)          | N/A  | 32 ipm simplex/14 ipm duplex letter, 30 ipm simplex/13 ipm duplex A4   |
| Input Speed – B&W (Up To:)            | N/A  | 50 ipm simplex/23 ipm duplex letter, 47 ipm simplex/21 ipm duplex A4   |
| Resolution                            | N/A  | 600 x 600 dpi  |
| Resolution (Software Utilities) (dpi) | N/A  | 150 x 150, 200 x 200, 300 x 300, 400 x 400, 600 x 600  |
| Maximum Scan Area (ADF) (in)          | N/A  | 8.5 x 14 in  |
| Maximum Scan Area (ADF) (mm)          | N/A  | 216 x 355 mm   |
| Maximum Scan Area (Platen) (in)       | N/A  | 8.5 x 11.7 in  |
| Maximum Scan Area (Platen) (mm)       | N/A  | 216 x 297 mm   |
| Media Weight (ADF)                    | N/A  | 52 to 120 gsm  |
| Network Filing Protocol               | N/A  | FTP, SFTP, SMB, USB, Windows Network Folder  |
| File Formats                          | N/A  | TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS  |
| Scan Driver Compatibility             | N/A  | TWAIN, WIA, ICA  |
| Scan File Compression Options         | N/A  | PDF – 1 bit – JBIG2, CCIT G4, Flate<br>8/24 bit – Flate, JPEG<br>TIFF – 1 bit – CCITT G4<br>8/24 bit – Packbits, LZW<br>JPG – 8/24 bit – JPEG  |
| Supported Scan Destinations           | N/A  | Email, Front-side USB Drive, FTP, SFTP, Network or USB Connected Computer, Windows Network Folder  |
| <b>FAX DETAILS</b>                    |  |  |
| Fax Speed                             | N/A  | 33.6K bps  |
| Memory                                | N/A  | 18MB   |
| Resolution (dpi)                      | N/A  | B&W standard 200 x 100 send, 200 x 100, 204 x 98 receive<br>B&W fine 200 x 200 send, 200 x 200, 204 x 196 receive<br>B&W superfine 300 x 300 send, 300 x 300, 204 x 391 receive<br>B&W ultrafine 600 x 600 send, 600 x 600, 400 x 400, 408 x 391 receive<br>Color fine 200 x 200 send, 200 x 200 receive<br>Color superfine 300 x 300 send, 300 x 300, 400 x 400 receive |
| Compression                           | N/A  | T.4 1D Modified Huffman Encoding<br>T.4 2D Modified Read Encoding<br>T.6 Modified Modified Read Encoding<br>T.85 JBIG<br>T.88 JBIG2<br>T.81 JPEG   |
| Fax Features                          | N/A  | Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book  |
| Fax Forward Destinations              | N/A  | Fax – using one Fax Shortcut<br>Email – using one Email Shortcut<br>FTP – using one FTP Shortcut   |
| <b>DEVICE MANAGEMENT</b>              |  |  |
| Device Management                     | Remote Console, Embedded Web Server, Xerox Easy Assist   |  |
| Xerox® CentreWare® Web Software       | Yes  |  |
| <b>SECURITY</b>                       |  |  |
| Security Protocols/Features           | Digitally Signed Firmware Updates, Certificate Management, Secure Password Reset, TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions, TLS 1.3, Audit Log, Syslog |  |
| <b>WI-FI SECURITY</b>                 |  |  |
| Authentication and Encryption Methods | 802.11 b/g/n, Infrastructure (BSS) Mode, WPA Personal TKIP PSK (63 char, 64 ASCII), WPA Enterprise, WPA3 Personal, WPA3 Enterprise, 802.1x; EAP-MD5, EAP-MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/IMSCHASPv2/PAP), LEAP, PEAP  |  |

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                | XEROX C310 COLOR PRINTER  | XEROX C315 COLOR MULTIFUNCTION PRINTER  |
|-------------------------------------|---|---|
| <b>PAPER HANDLING</b>               |   |   |
| <b>AUTOMATIC DOCUMENT FEEDER</b>    |   |   |
| Type of ADF                         | N/A   | Reversing Automatic Document Feeder (RADF)  |
| Capacity (Up To:)                   | N/A   | 50 sheets of 20 lb bond/75 gsm stock; capacities will vary with different weight stocks |
| Minimum Media Size (in)             | N/A   | 4.1 x 5.8 in  |
| Minimum Media Size (mm)             | N/A   | A6 SEF (105 x 148 mm)   |
| Maximum Media Size (in)             | N/A   | Legal (8.5 x 14 in)   |
| Maximum Media Size (mm)             | N/A   | 216 x 355 mm  |
| Minimum Media Weight (gsm)          | N/A   | 14 lb bond  |
| Minimum Media Weight – Duplex (gsm) | N/A   | 52 gsm  |
| Maximum Media Weight (gsm)          | N/A   | 32 lb bond  |
| Maximum Media Weight – Duplex (gsm) | N/A   | 120 gsm   |
| <b>PLATEN</b>                       |   |   |
| Maximum Media Size (in)             | N/A   | 8.5 x 11.7 in   |
| Maximum Media Size (mm)             | N/A   | 216 x 297 mm  |
| <b>MANUAL FEED SLOT</b>             |   |   |
| Standard/Optional                   | Standard  |   |
| Capacity                            | 1 sheet of 20 lb bond/75 gsm  |   |
| Minimum Media Size (in)             | 3 x 5 in  |   |
| Minimum Media Size (mm)             | 76 x 127 mm   |   |
| Maximum Media Size (in)             | Legal (8.5 x 14 in)   |   |
| Maximum Media Size (mm)             | 216 x 356 mm  |   |
| Minimum Media Weight (gsm)          | 60 gsm  |   |
| Minimum Media Weight – Duplex (gsm) | 60 gsm  |   |
| Maximum Media Weight (gsm)          | 216 gsm   |   |
| Maximum Media Weight – Duplex (gsm) | 105 gsm   |   |
| Media Types Supported               | Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels |   |
| <b>MAIN TRAY</b>                    |   |   |
| Standard/Optional                   | Standard  |   |
| Capacity (Up To:)                   | 250 sheets of 20 lb bond/75 gsm                                     |   |
| Minimum Media Size (in)             | 3.8 x 5.8 in  |   |
| Minimum Media Size (mm)             | 98 x 148 mm   |   |
| Maximum Media Size (in)             | Legal (8.5 x 14 in)   |   |
| Maximum Media Size (mm)             | 216 x 356 mm  |   |
| Minimum Media Weight (gsm)          | 60 gsm  |   |
| Minimum Media Weight – Duplex (gsm) | 60 gsm  |   |
| Maximum Media Weight (gsm)          | 216 gsm   |   |
| Maximum Media Weight – Duplex (gsm) | 105 gsm   |   |
| Media Types Supported               | Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes |   |

## Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                            | XEROX C310 COLOR PRINTER  | XEROX C315 COLOR MULTIFUNCTION PRINTER |
|---|---|--|
| <b>PAPER HANDLING (CONTINUED)</b>               |   |  |
| <b>550 PLUS 100 SHEET TRAY – 100 SHEET TRAY</b> |   |  |
| Standard/Optional                               | Optional – included with the 550 plus 100 Sheet Tray                |  |
| Capacity (Up To:)                               | 100 sheets of 20 lb bond/75 gsm                                     |  |
| Minimum Media Size (in)                         | 3 x 5 in  |  |
| Minimum Media Size (mm)                         | 76 x 127 mm   |  |
| Maximum Media Size (in)                         | Legal (8.5 x 14 in)   |  |
| Maximum Media Size (mm)                         | 216 x 356 mm  |  |
| Minimum Media Weight (gsm)                      | 60 gsm  |  |
| Minimum Media Weight – Duplex (gsm)             | 60 gsm  |  |
| Maximum Media Weight (gsm)                      | 176 gsm   |  |
| Maximum Media Weight – Duplex (gsm)             | 105 gsm   |  |
| Media Types Supported                           | Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes |  |
| <b>550 PLUS 100 SHEET TRAY – 550 SHEET TRAY</b> |   |  |
| Standard/Optional                               | Optional – included with the 550 plus 100 Sheet Tray                |  |
| Capacity (Up To:)                               | 550 sheets of 20 lb bond/75 gsm                                     |  |
| Minimum Media Size (in)                         | 5.83 x 8.27 in  |  |
| Minimum Media Size (mm)                         | 148 x 210 mm  |  |
| Maximum Media Size (in)                         | Legal (8.5 x 14 in)   |  |
| Maximum Media Size (mm)                         | 216 x 356 mm  |  |
| Minimum Media Weight (gsm)                      | 60 gsm  |  |
| Minimum Media Weight – Duplex (gsm)             | 60 gsm  |  |
| Maximum Media Weight (gsm)                      | 176 gsm   |  |
| Maximum Media Weight – Duplex (gsm)             | 105 gsm   |  |
| Media Types Supported                           | Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock            |  |
| <b>STANDARD/MAXIMUM INPUT CAPACITY</b>          |   |  |
| Standard Input Capacity                         | 251   |  |
| Maximum Input Capacity                          | 901   |  |
| <b>OUTPUT CAPACITY</b>                          |   |  |
| Output Capacity                                 | 125   | 150                                    |

# Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION                                |   | XEROX C310 COLOR PRINTER | XEROX C315 COLOR MULTIFUNCTION PRINTER  |
|---|---|--------------------------|---|
| <b>DEVICE SPECIFICATIONS</b>                        |   |                          |   |
| <b>ELECTRICAL REQUIREMENTS</b>                      |   |                          |   |
| North America                                       | 100 to 127 volts (V) (100 – 110 Japan) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal<br>90 to 140 volts (90 – 110 Japan), extreme   |                          |   |
| Europe  | 220 to 240 volts (V) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal (not available in all countries)<br>198 to 259 volts, extreme  |                          |   |
| <b>POWER CONSUMPTION</b>                            |   |                          |   |
| Operation/Running – 110V                            | Simplex 530W; Duplex 360W   |                          |   |
| Operation/Running – 220V                            | Simplex 530W; Duplex 360W   |                          |   |
| Standby Mode – 110V                                 | 22W   | 26.2W                    |   |
| Standby Mode – 220V                                 | 22W   | 26.2W                    |   |
| Auto Off/Sleep Mode – 110V                          | 1.61W   | 1.44W                    |   |
| Auto Off/Sleep Mode – 220V                          | 1.61W   | 1.44W                    |   |
| Power Off Mode – 110V                               | 0.2W  |                          |   |
| Power Off Mode – 220V                               | 0.2W  |                          |   |
| Default Time to Sleep Mode                          | 3 minutes   |                          |   |
| Time to First Print from Sleep Mode                 | 15 seconds  | 16 seconds               |   |
| Time to Ready from Off                              | 42 seconds  | 49 seconds               |   |
| <b>OPERATING ENVIRONMENT</b>                        |   |                          |   |
| Required Temperature Range – Fahrenheit (storage)   | 50 to 90° F<br>Shipping: -40 to 110° F  |                          |   |
| Required Temperature Range – Fahrenheit (operating) | 50 to 90° F   |                          |   |
| Required Temperature Range – Celsius (storage)      | 10 to 32.2° C<br>Shipping: -40 to 43.3° C   |                          |   |
| Required Temperature Range – Celsius (operating)    | 10 to 32.2° C   |                          |   |
| Required Relative Humidity                          | 15% to 80% RH   |                          |   |
| <b>SOUND POWER LEVELS</b>                           |   |                          |   |
| Sound Pressure Levels                               | Operating simplex b&w/col 49/50 dB(A)<br>Operating duplex b&w/col 51/52 dB(A)<br>Quiet mode simplex b&w/col 46/47 dB(A)<br>Quiet mode duplex b&w/col 49/49 dB(A)<br>Idle 15 dB(A) |                          | Operating simplex b&w/col 52/52 dB(A)<br>Operating duplex b&w/col 52/53 dB(A)<br>Quiet mode simplex b&w/col 49/49 dB(A)<br>Quiet mode duplex b&w/col 50/50 dB(A)<br>Idle 15 dB(A) |
| Sound Power Levels                                  | Operating simplex b&w/col 64/65 dB(A)<br>Operating duplex b&w/col 65/66 dB(A)<br>Quiet mode simplex b&w/col 61/62 dB(A)<br>Quiet mode duplex b&w/col 63/64 dB(A)<br>Idle 31 dB(A) |                          | Operating simplex b&w/col 67/67 dB(A)<br>Operating duplex b&w/col 67/67 dB(A)<br>Quiet mode simplex b&w/col 63/63 dB(A)<br>Quiet mode duplex b&w/col 64/65 dB(A)<br>Idle 31 dB(A) |
| <b>DIMENSIONS AND WEIGHTS</b>                       |   |                          |   |
| <b>ENGINES (UNPACKAGED)</b>                         |   |                          |   |
| Width (in)  | 17.4 in   |                          |   |
| Depth (in)  | 16.6 in   | 23.1 in                  |   |
| Height (in)   | 12.1 in   |                          |   |
| Weight (lb)   | 46 lb   |                          | 60 lb   |
| Width (mm)  | 442 mm  |                          |   |
| Depth (mm)  | 421 mm  | 588 mm                   |   |
| Height (mm)   | 308 mm  |                          |   |
| Weight (kg)   | 21 kg   |                          | 27.1 kg   |

# Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SYSTEM SPECIFICATION   | XEROX C310 COLOR PRINTER   | XEROX C315 COLOR MULTIFUNCTION PRINTER   |
|--|--|--|
| <b>DIMENSIONS AND WEIGHTS (CONTINUED)</b>  |  |  |
| <b>550 PLUS 100 SHEET TRAY (UNPACKAGED)</b>  |  |  |
| Width (in)   | 16.7 in  |  |
| Depth (in)   | 16.4 in  |  |
| Height (in)  | 5.2 in   |  |
| Weight (lb)  | 9.3 lb   |  |
| Width (mm)   | 424 mm   |  |
| Depth (mm)   | 416 mm   |  |
| Height (mm)  | 133 mm   |  |
| Weight (kg)  | 4.2 kg   |  |
| <b>ENGINES (PACKAGED)</b>  |  |  |
| Width (in)   | 19.5 in  | 22.0 in  |
| Depth (in)   | 23.4 in  |  |
| Height (in)  | 15.8 in  | 22.4 in  |
| Weight (lb)  | 52.3 lb  | 67.8 lb  |
| Width (mm)   | 495 mm   | 558 mm   |
| Depth (mm)   | 595 mm   | 594 mm   |
| Height (mm)  | 402 mm   | 570 mm   |
| Weight (kg)  | 23.8 kg  | 30.8 kg  |
| <b>550 PLUS 100 SHEET TRAY (PACKAGED)</b>  |  |  |
| Width (in)   | 8.6 in   |  |
| Depth (in)   | 20.0 in  |  |
| Height (in)  | 18.8 in  |  |
| Weight (lb)  | 11.45 lb   |  |
| Width (mm)   | 218 mm   |  |
| Depth (mm)   | 508 mm   |  |
| Height (mm)  | 478 mm   |  |
| Weight (kg)  | 5.2 kg   |  |
| <b>INSTALLATION CONSIDERATIONS</b>   |  |  |
| Clear area around the device is necessary for access and ventilation. The below table shows the area needed on each side for correct installation. |  |  |
| Top  | 10 in/254 mm   | 12 in/305 mm   |
| Rear   | 4 in/101.6 mm  |  |
| Left   | 3 in/76.2 mm   |  |
| Right  | 3 in/76.2 mm   |  |
| Front  | 3 in/76.2 mm   |  |
| <b>SYSTEM CERTIFICATION/REGULATORY COMPLIANCE</b>  |  |  |
| Certifications   | To view the latest list of certifications, go to <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>  |  |
| <b>WHAT'S IN THE BOX</b>   |  |  |
| All items contained in the box   | C310 Color Printer<br>Power Cord<br>Installation Guide<br>Product Safety Sheet<br>Quick Use Guide<br>Software and Documentation CD<br>Pre-installed Starter Capacity CMY Print Cartridges:<br>1,000 page capacity <sup>4</sup> ; K cartridge: 1,500 page capacity <sup>4</sup> | C315 Color Multifunction Printer<br>Power Cord<br>Installation Guide<br>Product Safety Sheet<br>Quick Use Guide<br>Software and Documentation CD<br>Pre-installed Starter Capacity CMY Print Cartridges:<br>1,000 page capacity <sup>4</sup> ; K cartridge: 1,500 page capacity <sup>4</sup> |

# Xerox C310 Color Printer and Xerox C315 Color Multifunction Printer

| SUPPLIES AND ACCESSORIES  | XEROX C310 | XEROX C315 |
|---|------------|------------|
| <b>SUPPLIES – NORTH AMERICA AND EUROPE*</b>   |            |            |
| Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (3,000 Pages) <sup>4</sup>   | 006R04356  |            |
| Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>    | 006R04357  |            |
| Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup> | 006R04358  |            |
| Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>  | 006R04359  |            |
| Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (8,000 Pages) <sup>4</sup>       | 006R04364  |            |
| Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>        | 006R04365  |            |
| Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>     | 006R04366  |            |
| Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>      | 006R04367  |            |
| Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Color Printer/Multifunction (25,000 Pages)                                    | 008R13325  |            |
| Genuine Xerox Black Imaging Kit, Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                       | 013R00689  |            |
| Genuine Xerox Color Imaging Kit (CMYK), Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                | 013R00692  |            |
| <b>SUPPLIES – ALL OTHER REGIONS</b>   |            |            |
| Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (3,000 Pages) <sup>4</sup>   | 006R04360  |            |
| Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>    | 006R04361  |            |
| Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup> | 006R04362  |            |
| Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (2,000 Pages) <sup>4</sup>  | 006R04363  |            |
| Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (8,000 Pages) <sup>4</sup>       | 006R04368  |            |
| Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>        | 006R04369  |            |
| Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>     | 006R04370  |            |
| Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Color Printer/Multifunction (5,500 Pages) <sup>4</sup>      | 006R04371  |            |
| Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Color Printer/Multifunction (25,000 Pages)                                    | 008R13325  |            |
| Genuine Xerox Black Imaging Kit, Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                       | 013R00689  |            |
| Genuine Xerox Color Imaging Kit (CMYK), Xerox C310/C315 Color Printer/Multifunction (125,000 Pages) <sup>5</sup>                | 013R00692  |            |
| <b>OPTIONAL ACCESSORIES</b>   |            |            |
| 550 plus 100 Sheet Tray   | 497N07995  |            |

\* North America (NA): U.S., Canada

Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino

<sup>1</sup> Declared print speed in accordance with ISO/IEC 24734.

<sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

<sup>3</sup> Some functionality may require software update from xerox.com available Q4 2021 (C310 only).

<sup>4</sup> Average standard pages. Declared yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

<sup>5</sup> Approximate pages. Declared yield will vary depending on job run length and media size/orientation and print mode. For more information, visit [office.xerox.com/latest/SUPGL-01.PDF](https://office.xerox.com/latest/SUPGL-01.PDF) C315 will become available early 2022.

For more information, visit us at [xerox.com/office](https://xerox.com/office).